

L Number	Hits	Search Text	DB	Time stamp
1	37984	((thread\$2 or multithread\$3) and (processor or microprocessor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 08:02
2	73	((thread\$2 or multithread\$3) and (processor or microprocessor)) and SIMD and debug\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 08:24
3	444	712/227.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 08:24
4	197	712/227.ccls. and debug\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 08:25
5	100	712/227.ccls. and debug\$4 and (thread\$3 or multithread\$3 or task\$3 or multitask\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 08:26
6	25	712/227.ccls. and debug\$4 and ((thread\$3 or multithread\$3 or task\$3 or multitask\$3) same (halt\$3 or stop\$3 or paus\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 08:45
7	81	(single adj step adj mode) same debug\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 09:18
8	0	(multiple adj step adj mode) same debug\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 09:18
9	2	(multi\$4 adj step adj mode) same debug\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 09:48
10	6570	((analog or RF) and digital) same (peripheral or "I/O" or (input adj output)) same (adapter or controller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 09:50
11	1091	((analog or RF) and digital) same ((peripheral or "I/O" or (input adj output)) adj3 (adapter or controller))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 09:50
12	330	((analog or RF) and digital) with ((peripheral or "I/O" or (input adj output)) adj3 (adapter or controller))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 10:14
17	74	(condition adj code) and (data adj type) and (word same (lsb or (least adj significant adj byte)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 10:25
18	2489601	(condition adj code) with detect\$3 (char\$6 or byte)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 10:26

19	634754	(condition adj code) with detect\$3 (character or char)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 10:27
20	0	(condition adj code) with detect\$3 with word with (character or char)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 10:27
21	0	(condition adj code) with detect\$3 with word with (character or char)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 10:28
22	4	(condition adj code) with detect\$3 with (character or char)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 10:44
23	83	(identify\$3 or detect\$3) with ((unassigned or unused) adj bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 10:45